

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)



(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
17.03.1999 Bulletin 1999/11

(51) Int Cl. 6: G06F 17/21, G06F 9/44

(21) Application number: 98307427.9

(22) Date of filing: 14.09.1998

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 14.09.1997 US 929627

(71) Applicant: International Business Machines
Corporation
Armonk, N.Y. 10504 (US)

(72) Inventors:
• Lahey, Leonard Corning
Boulder, Colorado 80304 (US)
• Neuhard, Deborah Elisabeth
Longmont, Colorado 80503 (US)
• Palmer, Dwight Ross
Longmont, Colorado 80503 (US)

(74) Representative: Waldner, Philip
IBM United Kingdom Limited,
Intellectual Property Department,
Hursley Park
Winchester, Hampshire SO21 2JN (GB)

(54) File management system

(57) A system, method, and program of this invention enable a user to create a new file that is like a pre-existing file. When a file menu option, referred to herein as "New Like", is selected by a user, an "Open" dialog is displayed to a user which enables the user to specify any pre-existing file to be opened. When the pre-existing file is opened as the new file, the new file is opened without the pre-existing file name being associated with the new file. The new file contains a subportion of the data of the pre-existing file that has been designated to be copied from the pre-existing file to the new file upon the opening of the specified pre-existing file. Upon saving the new file for the first time, the user interface requires the user to save the new file under a new file name. As such, any pre-existing file can be used as a template for a new file without any accidental modifications to the pre-existing file and without managing special template files.




FIG. 1B

Description

Background of the Invention

[0001] This invention relates to a graphical user interface for creating new files and opening pre-existing files, and more specifically to creating new files by using a pre-existing file as the basis for the created new file.

[0002] In word processing programs that enable a user to create and edit documents, and in other programs that enable a user to create and open files, it is desirable for a user to be able to use boilerplate data as a basis for creating other files. For example, a user may want to send the same letter to different people. In this example, the body of the letter would be the boilerplate data, while the addressee information would be unique for each letter. In another example, a user may create multiple patent application documents. In this example, the headings of the documents - "Description of the Related Art", "Summary of the Invention", "Description of the Preferred Embodiment", "Claims" and "Abstract" - would be the boilerplate data used in each document, while the body of each section would be unique for each patent application document. In yet another example, an invoice form may contain boilerplate information such as the headings of the fields and the identity of the entity to which monies are owed. The unique data for each invoice may include the specific amount of money, a description of the parts or services for which the money is owed, and the identity of the person owing the money. When preparing a specific invoice, a user may wish to open an invoice template that can be used for filling in the appropriate unique data in the pre-established boilerplate form layout.

[0003] Microsoft® Word has a template function that allows one to save a file as a template. Saving a file specifically as a template is a separate menu item. These files are then saved with a special extension, e.g., such as "*.tmp". These files can then be used as a template for future files. The template has associated with it the relevant fonts and boilerplate data. However, a separate process is involved in making a file a template. For example, a user has to invoke a function to make a file a template. Then, a user has to remember where the templates are, and which named template has the desired boilerplate data. The user also has to remember to invoke the right template when the new file is opened and to add the template to it. When a document is opened, the user specifies which templates are to be applied. In Microsoft® Word, more than one template can be applied to a same document.

[0004] In Lotus® AmiPro, when a user chooses to create a new file, e.g., document, the user is given a list of templates, referred to as style sheets, for the user to select to apply to the document.

[0005] Also, in some programs that have a template function, the templates are retrieved as the user's new document under the template name. The user then

works directly with the template to create a document from the template. However, if the user forgets to save the document as a different file name than the template name, the original boilerplate template will no longer exist; i.e., the original template will have been modified with any changes and modification made by the user.

[0006] As such, in currently existing programs, if a user desires to use certain boilerplate data in a new file, that boilerplate data has to exist in a template, or the user has to create such a template first before using it. This typically requires additional steps that are separate and distinct from creating the new file.

[0007] In general, managing templates can become cumbersome for a user. An alternative approach can be used by a user that accomplishes the same function as templates but the user does not have to invoke the template function. The user can open a document, use that document as the basis for another document by making additions and modifications to the opened document, and then save the opened document as a new file with a new filename. The original opened file remains as it was at the time it was first opened under its original filename while a new file, based upon the opened file, now exists under a new filename. This allows users to use existing documents over and over again by opening an old, i.e., pre-existing, document, making changes to it, and saving it under a new name. Again, if a user forgets to rename it, e.g., by clicking on a save menu option instead of a "save as" menu option, the original pre-existing document is automatically lost. The original file name now contains the user's modifications and not the original document that was being used as the boilerplate.

Summary of the Invention

[0008] It is therefore an object of the embodiment of this invention to enable a user to easily create a new file like any pre-existing file by using the pre-existing file as a template without any of the user burdens associated with managing templates or the burden of remembering to save the new file under a new name.

[0009] In one aspect of the present invention there is provided a system comprising:

means for displaying to a user a selectable option for making a new file like a pre-existing file;

means for receiving as input a file name of the pre-existing file;

means for storing in memory the pre-existing file as a new file without a file name associated with the new file; and

means for requiring a designation of a new file name upon a first save of the new file by the user.

[0010] In a second aspect of the present invention there is provided a computer-implemented method comprising:

displaying to a user a selectable option for making a new file like a pre-existing file;
 receiving as input a file name of the pre-existing file;
 storing in memory the pre-existing file as a new file without a file name associated with the new file; and
 requiring a designation of a new file name upon a first save of the new file by the user.

[0011] The system, method, and program of this embodiment allows any file, e.g., document, form, etc., to be used as a template at anytime. The preferred embodiment has a new option within the choices of a "file" menu that enables a user to open a new file that is like, i.e., similar, in some respects, to another file. This enables any file to be used as a template for a new file. In a preferred embodiment, this menu option is known as "New Like". Also, in the preferred embodiment, this menu option is displayed within the "File" menu choices between "New" and "Open". The "New Like" option has some characteristics of creating a new file using the "File" "New" menu option function, and some characteristics of opening an already existing file using the "File" "Open" menu option function. That is, the "New Like" file option creates a new file that is like an already existing file. A user uses only a single action icon to do this.

[0012] When a user selects "File" and "New Like", a "File Open" dialog box is displayed to the user. The user selects or specifies any file to be opened. When the file is opened, the program makes a copy of the file in working memory and removes the filename from the file. The file is displayed to the user.

[0013] In some embodiments, especially for those embodiments using a specific application that only interacts with files having a same structure or layout, the application program may dictate what parts of the file are copied over to the "new" file and which parts are left "blank" for the user of the new file to fill in. In these embodiments, the displayed file only contains the portions of data from the file that have been designated as "common" data for "New Like" files. In other, more general embodiments, the complete original file is displayed to the user along with menu options allowing the user to specify what parts of the file (such as all headings, bold type, or specific selected portions) are to be kept or deleted.

[0014] Along with the file, or portions of the file as initially displayed, a "save as" dialog is displayed that requires the user to give the "New Like" file a new name.

Brief Description of the Drawing

[0015] For a more complete understanding of this invention, reference is now made to the following detailed description of the embodiments as illustrated in the accompanying drawing, wherein:

Figs. 1A and 1B illustrate a file menu including "New Like" as one of the menu options to be chosen by

a user;

Fig. 2 illustrates an open dialog box for specifying any file as the "template";

Fig. 3 illustrates a file, i.e., a job ticket, in a preferred embodiment of the invention, that can be used as a template with the "New Like" function; and

Fig. 4 illustrates portions of a file, i.e., a job ticket, in a preferred embodiment of the invention, that is a new ticket initialized from an existing ticket that was used as a template.

Detailed Description of the Preferred Embodiments

[0016] A preferred embodiment of the invention is used in a print submit program that uses job tickets as described in copending application Serial No. 0.929.609 (Internal Docket Number AM9-97-100) filed on even date herewith and incorporated herein by reference. The job ticket has a certain structure with attributes. A job ticket allows a user to specify various combinations of files for printing and to specify other parameters for printing those files, such as the printer, type of paper to be used, etc. A "New Like" file menu option allows a user to specify new print jobs by using a previous job ticket as a template. For example, aspects of a print job, such as the files to be printed, may be printed over and over again. However, some aspects of the print job may vary with each printing, such as the customer name and/or the print job ID. The "New Like" file menu function allows users to set up the job ticket as a template so that portions of the job ticket can be used over and over again without having the burden of managing templates.

[0017] More specifically, in a preferred embodiment of the invention, as illustrated in the Figures, an existing file, i.e., a job ticket, is opened under a "New Like" file menu option 103, Fig. 1A. The user selects the "Ticket" menu option 101 (or in a more general embodiment shown in Fig. 1B, "File" menu option 111), then "New Like" 103, Fig. 1A (or 113, Fig. 1B). The "New Like" menu item 103 appears between the "New" menu item 101 and the "Open" menu item 104, as shown in Fig. 1A. As shown in Fig. 2, after the user selects "New Like", an "Open" dialog 201 is displayed to the user. Using this dialog, the user can choose any job ticket as the "template", i.e., as the basis for the new job ticket. Like other "open" dialogs, the "Open" dialog allows a user to select a drive and/or directory in the combo box 202 or a type of file in another combo box 203. The dialog displays to a user the files (e.g., job tickets) 204 within that directory and/or drive selected in the combo box 202. The user can select any file from those displayed or change directories or type in a new path name of a file in the type in field 205. Fig. 2 shows that the user has chosen "hc.jtk" as the job ticket to be opened under "New Like".

[0018] As such, the desired file is designated to be opened by the user. However, instead of just opening the file, the system makes a copy of the file in the application's working memory, and the name is removed from

that copy. In the preferred embodiment for job tickets, the job ID is also removed from the opened job ticket that is being saved in memory.

[0019] When the "New Like" file menu option is selected, a new job ticket is created, the old job ticket is opened and pertinent information is copied from the old job ticket to the new job ticket, and the job ID is omitted. When the "New Like" file menu option is selected, a dialog box is displayed to the user. In the preferred embodiment, a programmer writing the application for handling job tickets has predetermined which items or data should be initialized to the new job ticket, i.e., which items or data should be copied from the old job ticket to the new job ticket. As such, the old job ticket is being used in a way similar to a template.

[0020] As a result, there is a new ticket that has some of the fields automatically filled in. When a user wants to save this new ticket, the user has to give the new job ticket a new name since no name is currently associated with the "New Like" job ticket. The dialog box automatically requires that the user give the new job ticket a name, i.e., the dialog box asks the user for a "file" name in a "save as" field. In this way, the old ticket cannot be overwritten.

[0021] With this invention, the user does not have the burden of thinking about templates, finding the right template, and applying the templates to a file, document, job ticket, etc. Instead, any pre-existing job ticket can be used as the "template" or old job ticket when creating a "New Like" job ticket. This "New Like" file menu option is for using a job ticket as a template. A user could also create a "template" job ticket using techniques known in the art, such as by creating a new job ticket and only filling in certain fields with data that will be common to future job tickets. This new job ticket with the common data is then saved under a designated name. The designated name for the new job ticket can then be used in the "new-like" file menu function for creating a "new-like" job ticket.

[0022] Fig. 3 shows a job ticket. There are six fields at the top: ticket name 301, job ID 302, description 303, number of copies 304, customer name or identifier 305, and a library keyword 306. There is also a tree view of the job ticket contents 307, i.e., which files are associated with the job ticket and the order of the files. To the right of the tree view is a tab dialog 308 showing the attributes of the job ticket. In the preferred embodiment, all of the attributes are copied over to the new ticket.

[0023] Fig. 4 shows a new copy of a job ticket after the user has selected "New Like" from the "Ticket" (or "File") menu, and has chosen "hc.jtk" from the "Open" dialog box of Fig. 2. Note that the name 301, 309 of the job ticket is untitled, i.e., there is no name associated with this file, yet; and the job ID 302 from the opened "hc.jtk" file has been removed, some aspects of the opened job ticket "hc.jtk" have been copied to this new untitled job ticket such as the job ticket contents containing the files 307 to be printed. As shown, this new

job ticket has some of the fields automatically filled in.

[0024] In contrast, Fig. 3 showed the job ticket "hc.jtk" that had been opened under the "Open" menu option from the "Ticket" (or "File") menu. Note that the name 301, 309 and job ID 302 remain a part of the opened ticket under the "Open" menu selection.

[0025] The above has described a preferred embodiment of the invention in relation to an application that handles files of a certain type such as job tickets for print job submissions. However, the system, method, and program of this invention are applicable to any type of file and for any type of application.

[0026] As another example, the "New Like" file menu function can be used in a word processing program. Typically, word processing documents may contain the following parts:

Front Matter (title page, contents page, preface, etc.)

Body Text (chapters, sections, paragraphs, figures, tables)

End Matter (index, bibliography, etc.)

[0027] For each of these parts, word processing documents define:

the style (font, size, spacing, alignment, etc.);

the structure (e.g., each chapter may begin with a section called "Introduction"); and

the content.

[0028] When using an existing document as a template for the "New Like" function, some of the above elements will carry over from the template document into the new document and some will not. For example, the name of the document will not carry over into the new document. The main content of the document will not carry over because each new document has its own information to provide. However, the style of each part would carry over so that the font and alignment choices could be reused.

[0029] A program could decide in advance which elements would carry over, or a program could provide a user interface to let each user decide which elements should carry over. There is a trade-off between functional richness and user-interface complexity here. The following describes three different methods which take into account varying trade-offs between functional richness and user-interface complexity.

[0030] The most flexible and rich method would let each user define which elements in a document should be used in the "New Like" function. A possible user interface would let users select an element (say a paragraph, or the document outline) and invoke a "Mark for New Like" function. This would produce a dialog that lets users select any or all of style, structure, and content that would be copied to a new document when "New Like" is invoked. The user selection is stored with the

document so that each document can have its own set of "New Like" features to be copied.

[0031] A simpler user interface that is slightly less flexible is a user preference that specifies which elements are copied for all documents. This lets the user specify common features once without having to select them for each document. Again, these elements to copy would be stored with the document.

[0032] The least flexible method, with no user interface, has the program define which elements will be copied for all documents.

[0033] The desired human factors of each individual program will determine the mix of these three methods.

[0034] The following pseudo-code describes a preferred embodiment of the invention:

```
// Ask user to choose a document to use as a template.
// This can be any document; it is the normal "file open" dialog
filename = GetDocumentFileName();

// initialize the current document as if "file new" had been
// selected
thisDocument.DoFileNew();

// read the selected document into the new structure making a
// copy in RAM to be edited when this function is exited
thisDocument.LoadFrom(filename);

// reinitialize areas of the new document that are not
// appropriate to copy from the template document (e.g., the
// name)
thisDocument.name = NULL;
thisDocument.id = NULL;

// return to processing the new document
```

Copyright IBM Corporation 1997

[0035] Although a preferred embodiment of the invention can run on a Windows/NT or Macintosh system, embodiments of the invention can be implemented in any application program or operating system (and on any associated hardware platform) that enables the opening and creating of files by a user.

[0036] Using the foregoing specification, the invention may be implemented as a machine, process, or article of manufacture by using standard programming and/or engineering techniques to produce programming software, firmware, hardware or any combination thereof.

[0037] Any resulting program(s), having computer-readable program code, may be embodied within one or more computer-usable media such as memory devices or transmitting devices, thereby making a computer program product or article of manufacture according to

the invention. As such, the terms "article of manufacture" and "computer program product" as used herein are intended to encompass a computer program existent (permanently, temporarily, or transitorily) on any computer-usable medium such as on any memory device or in any transmitting device.

[0038] Executing program code directly from one medium, storing program code onto a medium, copying the code from one medium to another medium, transmitting the code using a transmitting device, or other equivalent acts, may involve the use of a memory or transmitting device which only embodies program code transitorily as a preliminary or final step in making, using, or selling the invention.

[0039] Memory devices include, but are not limited to, fixed (hard) disk drives, diskettes, optical disks, magnetic tape, semiconductor memories such as RAM, ROM, Proms, etc. Transmitting devices include, but are not limited to, the internet, intranets, electronic bulletin board and message/note exchanges, telephone/modem-based network communication, hard-wired/cabled communication network, cellular communication, radio wave communication, satellite communication, and other stationary or mobile network systems/communication links.

[0040] A machine embodying the invention may involve one or more processing systems including, but not limited to, CPU, memory/storage devices, communication links, communication/transmitting devices, servers, I/O devices, or any subcomponents or individual parts of one or more processing systems, including software, firmware, hardware, or any combination or subcombination thereof, which embody the invention as set forth in the claims.

[0041] One skilled in the art of computer science will easily be able to combine the software created as described with appropriate general purpose or special purpose computer hardware to create a computer system and/or computer subcomponents embodying the invention, and to create a computer system and/or computer subcomponents for carrying out the method of the invention.

[0042] While the preferred embodiment of the present invention has been illustrated in detail, it should be apparent that modifications and adaptations to that embodiment may occur to one skilled in the art without departing from the spirit or scope of the present invention as set forth in the following claims. For example, some modifications and adaptations may include the following:

user input may be received from the keyboard, mouse, pen, voice, touch screen, or any other means by which a human can input data to a computer, including through other programs such as application programs;

the file menu function "New Like" described above may have any name, and not necessarily "New

Like": and the above-described "New Like" file menu function may be applicable to any files including, but not limited to, job tickets, documents, forms, etc.

[0043] In summary there is included system, method, and program of this invention enable a user to create a new file that is like a pre-existing file. When a file menu option, referred to herein as "New Like", is selected by a user, an "Open" dialog is displayed to a user which enables the user to specify any pre-existing file to be opened. When the pre-existing file is opened as the new file, the new file is opened without the pre-existing file name being associated with the new file. The new file contains a subportion of the data of the pre-existing file that has been designated to be copied from the pre-existing file to the new file upon the opening of the specified pre-existing file. Upon saving the new file for the first time, the user interface requires the user to save the new file under a new file name. As such, any pre-existing file can be used as a template for a new file without any accidental modifications to the pre-existing file and without managing special template files.

Claims

1. A system comprising:

means for displaying to a user a selectable option for making a new file like a pre-existing file;
means for receiving as input a file name of the pre-existing file;
means for storing in memory the pre-existing file as a new file without a file name associated with the new file; and
means for requiring a designation of a new file name upon a first save of the new file by the user.

2. The system of claim 1 wherein the new file stored in memory has a subportion of the data of the pre-existing file.

3. The system of claim 1 or 2 wherein the file comprises one of the following:

- i) a job ticket for submitting print jobs to a printer; or
- ii) a document and the selectable option is a part of a word processing program menu.

4. The system of claim 1 wherein the file is a form having pre-established headings.

5. The system of claim 4 wherein the pre-established headings are copied to the new file stored in memory from the pre-existing file and data unique to

each form is not copied from the pre-existing file to the new file.

6. A computer-implemented method comprising:

displaying to a user a selectable option for making a new file like a pre-existing file;
receiving as input a file name of the pre-existing file;
storing in memory the pre-existing file as a new file without a file name associated with the new file; and
requiring a designation of a new file name upon a first save of the new file by the user.

7. The method of claim 6 further comprising storing a subportion of the data of the pre-existing file in the new file.

8. A method carried out in conjunction with a computer, the method comprising:

selecting an option from a menu for making a new file like a pre-existing file;
designating, in a dialog displayed in response to selecting the option, a specific pre-existing file as the pre-existing file; and
saving the new file with a new file name in response to a displayed dialog requiring a specified new file name upon a first save operation of the new file.

9. The method of claim 8 wherein said new file has a subportion of the data of the specific pre-existing file.

10. A computer program on a computer-usable medium, the computer program comprising:

means for causing a displaying to a user of a selectable option for making a new file like a pre-existing file;
means for creating a capability to receive as input a file name of the pre-existing file;
means for causing a storing in memory of the pre-existing file as a new file without the pre-existing file name associated with the new file;
and
means for requiring a designation of a new file name upon a first save of the new file by the user.






FIG. 1A

FIG. 1B



hc.jtk - InfoPrint Submit Job Ticket

Ticket Edit Item Options Help

301 Name hc.jtk 302 Job ID 100577

303 Description Template Job 304 Copies 1

305 Customer 306 Library keywords

Show Document Show More Special Instructions

Files

File to print File E:\Tickets\alignbox.ps Browse ...

File format PostScript

Source File File Browse ...

Library keywords

Document 1

Hardcopy 1 alignbox.ps

Hardcopy 2 6x9.ps

307

For Help, press F1

FIG. 3

301

302

304

306

305

307

308

FIG. 4

Untitled - InfoPrint Submit Job Ticket

Ticket Edit Item Options Help

File icons: Print, Copy, Paste, Undo, Redo, Find, etc.

Name: Untitled

Description: Template Job

Customer:

Job ID: 100577

Copies: 1

Library keywords:

Special Instructions:

Show Document

Show More

Files

File to print: File

File format: PostScript

Source File: File

Library keywords:

For Help, press F1

Document 1

Hardcopy 1

alignbox.ps

Hardcopy 2

6x9 ps

Browse ...

Browse ...

Browse ...



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 98 30 7427

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	WO 97 07454 A (SKOK MICHAEL JOHN ; THOMAS ANDREW JAMES (GB); CHEESEMAN PETER (GB);) 27 February 1997 * page 27, line 10 - line 20; figure 4 * * page 34, line 10 - line 15 * * page 36, line 1 - line 8 * * page 61, line 23 - line 35 * * page 64, line 28 - line 33 * * page 85, line 29 - page 86, line 4 *	1-10	G06F17/21 G06F9/44
A	WO 95 07510 A (JETFORM CORP) 16 March 1995 * the whole document *	1-10	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			G06F
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 15 December 1998	Examiner Fonderson, A
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date O : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1500 01/92 (P01C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 30 7427

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

15-12-1998

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9707454	A	27-02-1997	AU	6750896 A	12-03-1997
WO 9507510	A	16-03-1995	AU	7685994 A	27-03-1995

EPO FORM P459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)